

181 US Hwy 46 Mine Hill, NJ 07830 (908) 654-8068 (800) 783-0567 Fax 908-654-8069

Visual Paint Assesment Report

For 191_Lodi_St - Floor 2 - Hackensack City, NJ 07601 02/28/2025

On 02/21/25, LEW Environmental Services, LLC (NJDCA 00015 E) performed a visual paint condition assessment for the presence of deteriorated paint, chips or dust from painting activities and paint residue on floors at 191_Lodi_St Unit:PO Bo, (the "property") in compliance with NJAC 5:28A. Only the dwelling and common area interiors were included. Exteriors were not part of the assessment. The visual assessment followed the protocols found in HUD's Visual Assessment Training course.


No deteriorated paint, chips or dust from painting activities or paint residue on floors were observed in the dwelling unit. The property is eligible for a lead-safe certificate per NJAC 5:28A. Attached you will find the NJ Lead Safe Certificate. On 9/12/24, Governor Murphy signed bill S-3368 that extends the validity of the lead safe certificate to three years.

Respectfully Submitted,

Maryen Handhkan

Maryam Hamehkasi EPA Dust Wipe Technician, ID#D-I-T233827-24-00252 Encl: Floor Plan, Lead-safe Certificate;

Floor Plan(s)



Floor 2

Lew Environmental Services - 191_Lodi_St Floor 2 -Visual Inspection Prepared By: LEW Environmental Services, LLC 02/28/2025

