

Company LEW Corporation  
 XRF Make Heuresis  
 Model Pb200i  
 Serial Num. 1832

Lead concentration units: mg/cm2  
 Total Readings: 61  
 Action Level 1  
 Mode Action Level  
 Analytic Mode Paint

All Readings

Job Id	Reading #	Concentration	Result	Calibration	RTA Present	Date	Time	User	Analytic Mode	Site Address	Area	Unit #	Room	Structure	Member	Substrate	Wall	Location	Condition	Cause
12271408	6936	1		TRUE	FALSE	12/27/2024	2:08 PM	Saheed Alex Adeyeri	Paint											
12271408	6937	1.1		TRUE	FALSE	12/27/2024	2:08 PM	Saheed Alex Adeyeri	Paint											
12271408	6938	1.1		TRUE	FALSE	12/27/2024	2:08 PM	Saheed Alex Adeyeri	Paint											
12271408	6939	0		TRUE	FALSE	12/27/2024	2:09 PM	Saheed Alex Adeyeri	Paint											
12271408	6940	-0.1		TRUE	FALSE	12/27/2024	2:09 PM	Saheed Alex Adeyeri	Paint											
12271408	6941	0		TRUE	FALSE	12/27/2024	2:09 PM	Saheed Alex Adeyeri	Paint											
12271408	6942	20.9	Positive	FALSE	FALSE	12/27/2024	2:10 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Room	Wall	Drywall	A		Intact	
12271408	6943	23.4	Positive	FALSE	FALSE	12/27/2024	2:10 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Room	Wall	Drywall	B		Intact	
12271408	6944	19.3	Positive	FALSE	FALSE	12/27/2024	2:10 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Room	Wall	Drywall	C		Intact	
12271408	6945	0.2	Negative	FALSE	FALSE	12/27/2024	2:11 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Room	Wall	Drywall	D		Intact	
12271408	6946	16.3	Positive	FALSE	FALSE	12/27/2024	2:11 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Room	Baseboard	Wood	D		Intact	
12271408	6947	25.6	Positive	FALSE	FALSE	12/27/2024	2:12 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	Casing	Wood	D		Intact	
12271408	6948	35	Positive	FALSE	FALSE	12/27/2024	2:12 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	Jamb	Wood	D		Intact	
12271408	6949	-0.1	Negative	FALSE	FALSE	12/27/2024	2:12 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	---	Wood	D		Intact	
12271408	6950	17.1	Positive	FALSE	FALSE	12/27/2024	2:13 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	Casing	Wood	A		Intact	
12271408	6951	30	Positive	FALSE	FALSE	12/27/2024	2:13 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	Jamb	Wood	A		Intact	
12271408	6952	10.7	Positive	FALSE	FALSE	12/27/2024	2:13 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	---	Wood	A		Intact	
12271408	6953	18.5	Positive	FALSE	FALSE	12/27/2024	2:14 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Window	Casing	Wood	B		Intact	
12271408	6954	-0.1	Negative	FALSE	FALSE	12/27/2024	2:14 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Window	Jamb	Wood	B		Intact	
12271408	6955	21.1	Positive	FALSE	FALSE	12/27/2024	2:14 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Window	Sill	Wood	B		Intact	
12271408	6956	0.1	Negative	FALSE	FALSE	12/27/2024	2:20 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Room	Wall	Drywall	B		Intact	
12271408	6957	0.8	Negative	FALSE	FALSE	12/27/2024	2:20 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Room	Wall	Drywall	A		Intact	
12271408	6958	0.1	Negative	FALSE	FALSE	12/27/2024	2:20 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Room	Wall	Drywall	C		Intact	
12271408	6959	1	Positive	FALSE	FALSE	12/27/2024	2:21 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Room	Wall	Drywall	D		Intact	
12271408	6960	0.2	Negative	FALSE	FALSE	12/27/2024	2:21 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Window	Casing	Wood	D		Intact	
12271408	6961	0.2	Negative	FALSE	FALSE	12/27/2024	2:22 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Window	Jamb	Wood	D		Intact	
12271408	6962	0.2	Negative	FALSE	FALSE	12/27/2024	2:22 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Window	Sill	Wood	D		Intact	
12271408	6963	0	Negative	FALSE	FALSE	12/27/2024	2:22 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Door	Casing	Wood	C		Intact	
12271408	6964	0.1	Negative	FALSE	FALSE	12/27/2024	2:25 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Door	Jamb	Wood	C		Intact	
12271408	6965	0.2	Negative	FALSE	FALSE	12/27/2024	2:25 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Door	---	Wood	C		Intact	
12271408	6966	0.1	Negative	FALSE	FALSE	12/27/2024	2:26 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Room	Wall	Drywall	A		Intact	
12271408	6967	2.1	Positive	FALSE	FALSE	12/27/2024	2:26 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Room	Wall	Drywall	B		Intact	
12271408	6968	2	Positive	FALSE	FALSE	12/27/2024	2:26 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Room	Wall	Drywall	C		Intact	
12271408	6969	2.2	Positive	FALSE	FALSE	12/27/2024	2:26 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Room	Wall	Drywall	D		Intact	
12271408	6970	18	Positive	FALSE	FALSE	12/27/2024	2:27 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Window	Casing	Wood	D		Intact	
12271408	6971	16.8	Positive	FALSE	FALSE	12/27/2024	2:27 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Window	Jamb	Wood	D		Intact	
12271408	6972	5.5	Positive	FALSE	FALSE	12/27/2024	2:27 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Window	Sill	Wood	D		Intact	
12271408	6973	26.7	Positive	FALSE	FALSE	12/27/2024	2:28 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Door	Casing	Wood	B		Intact	
12271408	6974	36	Positive	FALSE	FALSE	12/27/2024	2:28 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Door	Jamb	Wood	B		Intact	
12271408	6975	-0.1	Negative	FALSE	FALSE	12/27/2024	2:28 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Door	---	Wood	B		Intact	
12271408	6976	14	Positive	FALSE	FALSE	12/27/2024	2:29 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Room	Wall	Drywall	A		Intact	
12271408	6977	14	Positive	FALSE	FALSE	12/27/2024	2:30 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Room	Wall	Drywall	B		Intact	
12271408	6978	1.5	Positive	FALSE	FALSE	12/27/2024	2:30 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Room	Wall	Drywall	C		Intact	
12271408	6979	1.7	Positive	FALSE	FALSE	12/27/2024	2:30 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Room	Wall	Drywall	D		Intact	
12271408	6980	18.9	Positive	FALSE	FALSE	12/27/2024	2:31 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Door	Casing	Wood	B		Intact	
12271408	6981	10.2	Positive	FALSE	FALSE	12/27/2024	2:31 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Door	Jamb	Wood	B		Intact	



Company LEW Corporation  
 XRF Make Heuresis  
 Model Pb200i  
 Serial Num. 1832

Lead concentration units: mg/cm2

Total Readings: 61 Total Positives 39

Action Level 1

Mode Action Level

Analytic Mode Paint

**Actionables**

Job Id	Reading #	Concentration	Result	Calibration	RTA Present	Date	Time	User	Analytic Mode	Site Address	Area	Unit #	Room	Structure	Member	Substrate	Wall	Location	Condition	Cause
12271408	6942	20.9	Positive	FALSE	FALSE	12/27/2024	2:10 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Room	Wall	Drywall	A		Intact	
12271408	6943	23.4	Positive	FALSE	FALSE	12/27/2024	2:10 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Room	Wall	Drywall	B		Intact	
12271408	6944	19.3	Positive	FALSE	FALSE	12/27/2024	2:10 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Room	Wall	Drywall	C		Intact	
12271408	6946	16.3	Positive	FALSE	FALSE	12/27/2024	2:11 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Room	Baseboard	Wood	D		Intact	
12271408	6947	25.6	Positive	FALSE	FALSE	12/27/2024	2:12 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	Casing	Wood	D		Intact	
12271408	6948	35	Positive	FALSE	FALSE	12/27/2024	2:12 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	Jamb	Wood	D		Intact	
12271408	6950	17.1	Positive	FALSE	FALSE	12/27/2024	2:13 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	Casing	Wood	A		Intact	
12271408	6951	30	Positive	FALSE	FALSE	12/27/2024	2:13 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	Jamb	Wood	A		Intact	
12271408	6952	10.7	Positive	FALSE	FALSE	12/27/2024	2:13 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Door	---	Wood	A		Intact	
12271408	6953	18.5	Positive	FALSE	FALSE	12/27/2024	2:14 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Window	Casing	Wood	B		Intact	
12271408	6955	21.1	Positive	FALSE	FALSE	12/27/2024	2:14 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Kitchen	Window	Sill	Wood	B		Intact	
12271408	6959	1	Positive	FALSE	FALSE	12/27/2024	2:21 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 4	Room	Wall	Drywall	D		Intact	
12271408	6967	2.1	Positive	FALSE	FALSE	12/27/2024	2:26 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Room	Wall	Drywall	B		Intact	
12271408	6968	2	Positive	FALSE	FALSE	12/27/2024	2:26 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Room	Wall	Drywall	C		Intact	
12271408	6969	2.2	Positive	FALSE	FALSE	12/27/2024	2:26 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Room	Wall	Drywall	D		Intact	
12271408	6970	18	Positive	FALSE	FALSE	12/27/2024	2:27 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Window	Casing	Wood	D		Intact	
12271408	6971	16.8	Positive	FALSE	FALSE	12/27/2024	2:27 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Window	Jamb	Wood	D		Intact	
12271408	6972	5.5	Positive	FALSE	FALSE	12/27/2024	2:27 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Window	Sill	Wood	D		Intact	
12271408	6973	26.7	Positive	FALSE	FALSE	12/27/2024	2:28 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Door	Casing	Wood	B		Intact	
12271408	6974	36	Positive	FALSE	FALSE	12/27/2024	2:28 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 3	Door	Jamb	Wood	B		Intact	
12271408	6976	14	Positive	FALSE	FALSE	12/27/2024	2:29 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Room	Wall	Drywall	A		Intact	
12271408	6977	14	Positive	FALSE	FALSE	12/27/2024	2:30 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Room	Wall	Drywall	B		Intact	
12271408	6978	1.5	Positive	FALSE	FALSE	12/27/2024	2:30 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Room	Wall	Drywall	C		Intact	
12271408	6979	1.7	Positive	FALSE	FALSE	12/27/2024	2:30 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Room	Wall	Drywall	D		Intact	
12271408	6980	18.9	Positive	FALSE	FALSE	12/27/2024	2:31 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Door	Casing	Wood	B		Intact	
12271408	6981	10.2	Positive	FALSE	FALSE	12/27/2024	2:31 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Door	Jamb	Wood	B		Intact	
12271408	6982	23.5	Positive	FALSE	FALSE	12/27/2024	2:31 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 2	Door	---	Wood	B		Intact	
12271408	6983	9.8	Positive	FALSE	FALSE	12/27/2024	2:32 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 1	Room	Wall	Drywall	A		Intact	
12271408	6984	8.9	Positive	FALSE	FALSE	12/27/2024	2:33 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 1	Room	Wall	Drywall	B		Intact	
12271408	6985	7.6	Positive	FALSE	FALSE	12/27/2024	2:33 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 1	Room	Wall	Drywall	C		Intact	
12271408	6986	1.1	Positive	FALSE	FALSE	12/27/2024	2:33 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 1	Room	Wall	Drywall	D		Intact	
12271408	6987	6.4	Positive	FALSE	FALSE	12/27/2024	2:34 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 1	Window	Casing	Wood	D		Intact	
12271408	6988	8.1	Positive	FALSE	FALSE	12/27/2024	2:34 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 1	Window	Jamb	Wood	D		Intact	
12271408	6989	7.2	Positive	FALSE	FALSE	12/27/2024	2:34 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 1	Window	Sill	Wood	D		Intact	
12271408	6991	15.6	Positive	FALSE	FALSE	12/27/2024	2:35 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 1	Door	Casing	Wood	B		Intact	
12271408	6992	14	Positive	FALSE	FALSE	12/27/2024	2:35 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 1	Door	Jamb	Wood	B		Intact	
12271408	6993	18	Positive	FALSE	FALSE	12/27/2024	2:36 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bedroom 1	Door	---	Wood	B		Intact	
12271408	6996	18	Positive	FALSE	FALSE	12/27/2024	2:37 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bathroom	Room	Wall	Drywall	D		Intact	
12271408	7002	17.4	Positive	FALSE	FALSE	12/27/2024	2:39 PM	Saheed Alex Adeyeri	Paint	716 Warren Str	Unit	2	Bathroom	Door	---	Wood	D		Intact	

Company LEW Corporation  
XRF Make Heuresis  
Model Pb200i  
Serial Num. 1832

Lead concentration units: mg/cm2

Total Readings: 61 Total Hazards 0  
Action Level 1  
Mode Action Level  
Analytic Mode Paint

**Hazards**

Job Id	Reading #	Concentration	Result	Calibration	RTA Present	Date	Time	User	Analytic Mode	Site Address	Area	Unit #	Room	Structure	Member	Substrate	Wall	Location	Condition	Cause
No Hazards																				