



7469 Whitepine Rd
 North Chesterfield, VA 23237
 Telephone: 800.347.4010

Lead Dust Wipe Analysis Report

Report Number: 24-05-02865

Client: LEW Corp
 181 US Hwy 46
 Mine Hill, NJ 07803

Received Date: 05/17/2024
Analyzed Date: 05/21/2024
Reported Date: 05/21/2024

Project/Test Address: 360981; Baun; 39 Lincoln Ave; Dover, NJ

Collection Date: 05/14/2024

Client Number:
 201327

Laboratory Results

Fax Number:
 Ext 18 Melissa

Lab Sample Number	Client Sample Number	Collection Location	Surface	Total Pb (ug)	Wipe Area (ft ²)	Concentration (ug/ft ²)	Narrative ID
24-05-02865-001	1	LIVING BC	FL	<5.00	1.00	<5.00	
24-05-02865-002	2	DINING BL	FL	19.9	1.00	19.9	
24-05-02865-003	3	OFFICE BC	FL	<5.00	1.00	<5.00	
24-05-02865-004	4	SITTING ROOM CL	FL	<5.00	1.00	<5.00	
24-05-02865-005	5	SUN ROOM CR	FL	<5.00	1.00	<5.00	
24-05-02865-006	6	LIVING BL	SL	511	0.372	1370	
24-05-02865-007	7	DINING BR	SL	1520	0.326	4650	
24-05-02865-008	8	OFFICE CC	SL	211	0.372	568	
24-05-02865-009	9	SITTING ROOM CL	SL	202	0.667	303	

Environmental Hazards Services, L.L.C

Client Number: 201327

Report Number: 24-05-02865

Project/Test Address: 360981; Baun; 39 Lincoln Ave; Dover, NJ

Lab Sample Number	Client Sample Number	Collection Location	Surface	Total Pb (ug)	Wipe Area (ft ²)	Concentration (ug/ft ²)	Narrative ID
-------------------	----------------------	---------------------	---------	---------------	------------------------------	-------------------------------------	--------------

Method: ASTM E-1979-17/EPA SW846 7000B

Accreditation #:

Reviewed By Authorized Signatory:



Amanda Lowery

The Reporting Limit (RL) is 5.00 ug Total Pb. Dust wipe area and results are calculated based on area measurements determined by the client. All internal quality control requirements associated with this batch were met, unless otherwise noted.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Sample location, description, area, etc., was provided by the client. Results reported above in ug/ft² are calculated based on area supplied by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. These sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of Environmental Hazards Services, L.L.C.

ELLAP Accreditation through AIHA LAP, LLC (100420), NY ELAP #11714.

Legend

ug = microgram

ug/ft² = micrograms per square foot

Pb = lead

mL = milliliter

ft² = square foot



ENVIRONMENTAL SERVICES
 A Mainline Company
 LEW Environmental Services P: (800) 783-0567
 F: (908) 654-8069

Lead

Chain-of-Custody



24-05-02865 ✓

Due Date:
 05/22/2024
 (Wednesday)
 AE

* All wip

Si

AW S.

Project Name: Bavn
 Address: 39 Lincoln Ave
 City, State: Dover NJ
 Project Number: 360981

Sample Type
 Dust wipe
 Paint chip
 Soil
 TCLP

Turn Around Time (TAT)
 Same Day
 1 Day
 1 Week
 3 Day
 Weekend
 2 Weeks

Name: Mark Franz
 Signature: [Signature]

sampler Information

Sample #	Date Collected	Sample Location (Ex: Fl, Kitchen, AC)	Area (inches)	Paint Chip Analysis		
				mg/cm ²	PPM	% wt
1	5/14/24	Floor, Living	12" x 12"			
2		Dining				
3		Office				
4		Sitting Rm, CL				
5		SunRm, CR				
6		Sill, Living, BL	1 7/8" x 32"			
7		Dining, BR	1 7/8" x 28"			
8		Office, CC	1 7/8" x 32"			
9		Sitting Rm, CL	3" x 32"			

Relinquished by: Mark Franz Signature: [Signature] Date/Time: 5/14/24 5:04 PM

Received by: HHumphrey Signature: [Signature] Date/Time: 5/17/24 1:54 PM