

Company LEW Corporation
 XRF Make Heuresis
 Model Pb200i
 Serial Num. 1830
 Lead concentration units: mg/cm2
 Total Readings: 122
 Action Level 1
 Mode Action Level
 Analytic Mode Paint

All Readings

Job Id	Reading #	Concentration	Result	Calibration	RTA Present	Date	Time	User	Analytic Mode	Site Address	Area	Unit #	Room	Structure	Member	Substrate	Wall	Location
24 Brighton 1	18664	1.2		TRUE	FALSE	6/7/2024	9:52 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1								
24 Brighton 1	18665	1.3		TRUE	FALSE	6/7/2024	9:53 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1								
24 Brighton 1	18666	1.2		TRUE	FALSE	6/7/2024	9:54 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1								
24 Brighton 1	18667	0.1		TRUE	FALSE	6/7/2024	9:55 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1								
24 Brighton 1	18668	0		TRUE	FALSE	6/7/2024	9:55 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1								
24 Brighton 1	18669	-0.1		TRUE	FALSE	6/7/2024	9:56 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1								
24 Brighton 1	18670	0.1	Negative	FALSE	FALSE	6/7/2024	9:57 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement Stairwell	Stair	Treads	Wood	C	2
24 Brighton 1	18671	-0.1	Negative	FALSE	FALSE	6/7/2024	9:58 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement Stairwell	Stair	Risers	Wood	C	2
24 Brighton 1	18672	0.1	Negative	FALSE	FALSE	6/7/2024	9:59 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement Stairwell	Stair	Stringer	Wood	C	2
24 Brighton 1	18673	1	Positive	FALSE	FALSE	6/7/2024	10:00 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement room 1	Room	Wall	Wood	C	2
24 Brighton 1	18674	0.2	Negative	FALSE	FALSE	6/7/2024	10:01 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement room 1	Room	Wall	Wood	A	2
24 Brighton 1	18675	0.3	Negative	FALSE	FALSE	6/7/2024	10:02 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement room 1	Room	Wall	Wood	D	2
24 Brighton 1	18676	0.3	Negative	FALSE	FALSE	6/7/2024	10:03 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement room 1	Room	Wall	Wood	B	2
24 Brighton 1	18677	0.1	Negative	FALSE	FALSE	6/7/2024	10:04 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement room 1	Room	Wall	Wood	C	2
24 Brighton 1	18678	0.2	Negative	FALSE	FALSE	6/7/2024	10:04 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement room 1	Room	Wall	Wood	C	2
24 Brighton 1	18679	0.2	Negative	FALSE	FALSE	6/7/2024	10:06 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement room 1	Room	Baseboard	Concrete	A	2
24 Brighton 1	18680	0	Negative	FALSE	FALSE	6/7/2024	10:09 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 1	Room	Wall	Drywall	A	2
24 Brighton 1	18681	0.1	Negative	FALSE	FALSE	6/7/2024	10:10 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 1	Room	Wall	Drywall	B	2
24 Brighton 1	18682	0	Negative	FALSE	FALSE	6/7/2024	10:10 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 1	Room	Wall	Drywall	C	2
24 Brighton 1	18683	0	Negative	FALSE	FALSE	6/7/2024	10:11 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 1	Room	Wall	Drywall	D	2
24 Brighton 1	18684	0.2	Negative	FALSE	FALSE	6/7/2024	10:13 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 1	Room	Ceiling	Drywall	D	2
24 Brighton 1	18685	-0.1	Negative	FALSE	FALSE	6/7/2024	10:14 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 1	Window	Sill	Drywall	D	2
24 Brighton 1	18686	0	Negative	FALSE	FALSE	6/7/2024	10:15 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 1	Window	Casing	Drywall	D	2
24 Brighton 1	18687	0	Negative	FALSE	FALSE	6/7/2024	10:20 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 1	Door	---	Wood	D	2
24 Brighton 1	18688	0	Negative	FALSE	FALSE	6/7/2024	10:21 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 1	Door	Jamb	Wood	D	2
24 Brighton 1	18689	0.2	Negative	FALSE	FALSE	6/7/2024	10:22 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 1	Door	---	Wood	D	2
24 Brighton 1	18690	0	Negative	FALSE	FALSE	6/7/2024	10:23 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Window	Casing	Wood	C	2
24 Brighton 1	18691	0.2	Negative	FALSE	FALSE	6/7/2024	10:24 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Door	Casing	Wood	D	2
24 Brighton 1	18692	0	Negative	FALSE	FALSE	6/7/2024	10:25 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Door	---	Wood	D	2
24 Brighton 1	18693	-0.2	Negative	FALSE	FALSE	6/7/2024	10:26 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Baseboard	Wood	B	2
24 Brighton 1	18694	0	Negative	FALSE	FALSE	6/7/2024	10:27 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Ceiling	Drywall	B	2
24 Brighton 1	18695	1.4	Positive	FALSE	FALSE	6/7/2024	10:28 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Wall	Drywall	A	2
24 Brighton 1	18696	0.7	Negative	FALSE	FALSE	6/7/2024	10:30 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Wall	Drywall	A	2
24 Brighton 1	18697	0.7	Negative	FALSE	FALSE	6/7/2024	10:31 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Wall	Drywall	D	2
24 Brighton 1	18698	0	Negative	FALSE	FALSE	6/7/2024	10:33 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Wall	Drywall	B	2
24 Brighton 1	18699	0.1	Negative	FALSE	FALSE	6/7/2024	10:33 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Wall	Drywall	C	2
24 Brighton 1	18700	0	Negative	FALSE	FALSE	6/7/2024	10:34 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Wall	Drywall	B	2
24 Brighton 1	18701	-0.5	Negative	FALSE	FALSE	6/7/2024	10:35 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Baseboard	Drywall	B	2
24 Brighton 1	18702	0.2	Negative	FALSE	FALSE	6/7/2024	10:37 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Baseboard	Drywall	A	2
24 Brighton 1	18703	0.3	Negative	FALSE	FALSE	6/7/2024	10:38 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Room	Wall	Drywall	A	2
24 Brighton 1	18704	0.1	Negative	FALSE	FALSE	6/7/2024	10:40 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Room	Wall	Drywall	B	2
24 Brighton 1	18705	0.1	Negative	FALSE	FALSE	6/7/2024	10:40 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Room	Wall	Drywall	C	2
24 Brighton 1	18706	-0.1	Negative	FALSE	FALSE	6/7/2024	10:41 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Room	Wall	Drywall	D	2
24 Brighton 1	18707	-0.1	Negative	FALSE	FALSE	6/7/2024	10:42 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Room	Ceiling	Drywall	D	2
24 Brighton 1	18708	1.5	Positive	FALSE	FALSE	6/7/2024	10:43 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Archway	---	Wood	A	2
24 Brighton 1	18709	1.7	Positive	FALSE	FALSE	6/7/2024	10:44 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Archway	---	Wood	A	2
24 Brighton 1	18710	0.1	Negative	FALSE	FALSE	6/7/2024	10:45 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Archway	---	Wood	A	2
24 Brighton 1	18711	1.9	Positive	FALSE	FALSE	6/7/2024	10:47 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Window	Sill	Wood	C	2
24 Brighton 1	18712	2.5	Positive	FALSE	FALSE	6/7/2024	10:48 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Window	Sill	Wood	C	1
24 Brighton 1	18713	0.1	Negative	FALSE	FALSE	6/7/2024	10:49 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Window	Sill	Wood	B	1
24 Brighton 1	18714	0	Negative	FALSE	FALSE	6/7/2024	10:50 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Window	Casing	Wood	B	1

Job Id	Reading #	Concentration	Result	Calibration	RTA Present	Date	Time	User	Analytic Mode	Site Address	Area	Unit #	Room	Structure	Member	Substrate	Wall	Location
24 Brighton 1	18776	0.2	Negative	FALSE	FALSE	6/7/2024	12:13 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 2	Window	Casing	Wood	B	1
24 Brighton 1	18777	0.1	Negative	FALSE	FALSE	6/7/2024	12:14 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Hallway 1	Window	Sill	Wood	B	1
24 Brighton 1	18778	0.1	Negative	FALSE	FALSE	6/7/2024	12:15 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Hallway 1	Window	Casing	Wood	B	1
24 Brighton 1	18779	0.2	Negative	FALSE	FALSE	6/7/2024	12:16 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Hallway 1	Closet	Door	Wood	C	1
24 Brighton 1	18780	-0.1	Negative	FALSE	FALSE	6/7/2024	12:17 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Hallway 1	Closet	Door Casing	Wood	C	1
24 Brighton 1	18781	-0.3	Negative	FALSE	FALSE	6/7/2024	12:18 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Hallway 1	Closet	Wall	Drywall	C	1
24 Brighton 1	18782	0.1	Negative	FALSE	FALSE	6/7/2024	12:19 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Hallway 1	Room	Wall	Drywall	C	1
24 Brighton 1	18783	0.2	Negative	FALSE	FALSE	6/7/2024	12:20 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Hallway 1	Room	Wall	Drywall	B	1
24 Brighton 1	18784	-0.2	Negative	FALSE	FALSE	6/7/2024	12:21 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Hallway 1	Room	Wall	Drywall	A	1
24 Brighton 1	18785	0	Negative	FALSE	FALSE	6/7/2024	12:21 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Hallway 1	Room	Wall	Drywall	D	1
24 Brighton 1	18786	0	Negative	FALSE	FALSE	6/7/2024	12:22 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Hallway 1	Room	Ceiling	Drywall	D	1
24 Brighton 1	18787	0.2	Negative	FALSE	FALSE	6/7/2024	12:23 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Living Room	Stair	Stringer	Drywall	D	1
24 Brighton 1	18788	0.2	Negative	FALSE	FALSE	6/7/2024	12:24 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Living Room	Stair	Balusters	Metal	C	1
24 Brighton 1	18789	1.5	Positive	FALSE	FALSE	6/7/2024	12:25 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Living Room	Stair	Baseboard	Metal	C	1
24 Brighton 1	18790	0.1	Negative	FALSE	FALSE	6/7/2024	12:26 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Living Room	Door	Casing	Wood	A	1
24 Brighton 1	18791	0	Negative	FALSE	FALSE	6/7/2024	12:27 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Living Room	Door	---	Wood	A	1

Company LEW Corporation
 XRF Make Heuresis
 Model Pb200i
 Serial Num. 1830

Lead concentration units: mg/cm2

Total Readings: 122 Total Positives 17

Action Level 1

Mode Action Level

Analytic Mode Paitic

Actionables

Job Id	Reading #	Concentration	Result	Calibration	RTA Present	Date	Time	User	Analytic Mode	Site Address	Area	Unit #	Room	Structure	Member	Substrate	Wall	Location
24 Brighton 1	18673	1	Positive	FALSE	FALSE	6/7/2024	10:00 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Basement room 1	Room	Wall	Wood	C	2
24 Brighton 1	18695	1.4	Positive	FALSE	FALSE	6/7/2024	10:28 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Foyer	Room	Wall	Drywall	A	2
24 Brighton 1	18708	1.5	Positive	FALSE	FALSE	6/7/2024	10:43 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Archway		Wood	A	2
24 Brighton 1	18709	1.7	Positive	FALSE	FALSE	6/7/2024	10:44 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Archway		Wood	A	2
24 Brighton 1	18711	1.9	Positive	FALSE	FALSE	6/7/2024	10:47 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Window	Sill	Wood	C	2
24 Brighton 1	18712	2.5	Positive	FALSE	FALSE	6/7/2024	10:48 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Window	Sill	Wood	C	1
24 Brighton 1	18716	1.7	Positive	FALSE	FALSE	6/7/2024	10:52 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Dining Room/Kitchen	Window	Sill	Wood	D	1
24 Brighton 1	18717	1.4	Positive	FALSE	FALSE	6/7/2024	10:53 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Living Room	Window	Sill	Wood	A	1
24 Brighton 1	18720	1	Positive	FALSE	FALSE	6/7/2024	10:56 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Living Room	Window	Sill	Wood	D	1
24 Brighton 1	18726	1.4	Positive	FALSE	FALSE	6/7/2024	11:03 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Living Room	Room	Baseboard	Wood	C	1
24 Brighton 1	18757	14.2	Positive	FALSE	FALSE	6/7/2024	11:40 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bedroom 2	Window	Sill	Wood	C	1
24 Brighton 1	18759	1.9	Positive	FALSE	FALSE	6/7/2024	11:43 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bedroom 2	Door	Casing	Wood	B	1
24 Brighton 1	18770	8.6	Positive	FALSE	FALSE	6/7/2024	11:58 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 2	Room	Wall	Drywall	B	1
24 Brighton 1	18771	10.1	Positive	FALSE	FALSE	6/7/2024	11:59 AM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 2	Room	Wall	Drywall	D	1
24 Brighton 1	18772	8.5	Positive	FALSE	FALSE	6/7/2024	12:09 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 2	Room	Wall	Drywall	C	1
24 Brighton 1	18775	2.9	Positive	FALSE	FALSE	6/7/2024	12:12 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Bathroom 2	Window	Sill	Wood	B	1
24 Brighton 1	18789	1.5	Positive	FALSE	FALSE	6/7/2024	12:25 PM	Nyire Edmonds-Grant	Paint	4 Brighton Ave, Pleasantville, NJ Unit 1	Unit		Living Room	Stair	Baseboard	Metal	C	1